

2x8 HDMI Switch Splitter

HSP0208A11

The HDMI splitter (HSP0208A11) for 4K HDMI distributes the one of two Ultra HD HDMI source to eight Ultra HD displays simultaneously, without loss of quality or resolution. This product works with any Ultra HD source and supports resolutions up to 4K. It features Fast Switching Technology, and supports HDCP, Deep Color, 3DTV pass-through, and lossless audio formats such as Dolby® TrueHD and DTS-HD® Master Audio™.

Application:

The HDMI splitter(HSP0208A11) is apply to TV stores, exhibition hall, bars, KTV clubs, schools, hospitals, hotel lobbies, retail establishments and any other installations where Ultra HD AV content from an HDMI source needs to be displayed simultaneously on up to 8 Ultra HD displays.


Features:

- With 2 input sources, either one can be distributed to 8 Ultra HD displays.
- HDCP 1.3 compliant.
- Support resolution up to Ultra HD 4K 30Hz
- Support up to 36 bit/pixel Deep Color.
- Support LPCM 7.1, Dolby® TrueHD, Dolby Digital® Plus, and DTS-HD® Master Audio™.
- Support HDMI input/output cable up to 10 meters.
- Support EDID mode adjust, compatible with most of the HDMI source and displays.


Packing List:

- 1 * HDMI Switch Splitter 2x8
- 1 * IR Remote Control
- 1 * DC 5V 2A Power Adapter
- 1 * Quick-Start Guide

Panel description:



Connection diagram:



Specification:

HSP0208A11	2x8 HDMI Switch /Splitter	
Functionality:		
Port selection	Front panel buttons	Yes
	IR remote control	Yes
Power switch	Yes	
EDID mode adjust	Yes	
Smart EDID	Yes	
Technical:		
Resolution	Up to 3840*2160@30Hz	
HDCP version	1.3	
Data rate	10.2 Gbps	
Input	2*HDMI Type A, 24/26 AWG cable up to 5M (1080P60Hz)	
Output	8*HDMI Type A, 24/26 AWG cable up to 15M (1080P60Hz)	
ESD protection	Human body model - ±8kV (Air-gap discharge)	
Mechanical:		
Chasing material	Aluminum Alloy	
Product Dimensions	300 (L) x 120 (W) x 30 (H) mm	
Item Weight	400g	