#### 3x1 HDMI Switch with IR

### # HSW0301A10

The 3 Ports HDMI Switch HSW0301A10, allows up to 3 Ultra HD or Full HD sources to be routed to 1 Ultra HD display. This product supports resolutions up to 4K (3840 x 2160 @ 30Hz). HDCP, ARC, Deep Color, 3DTV pass-through, and lossless audio formats such as LPCM 7.1, Dolby® TrueHD, and DTS-HD Master Audio™ are also supported. Each Ultra HD source can be switched to the display using the front panel push-button control or the included IR remote. Support automatic input source detection, when attach new input device to the switcher, the switcher will switch to this just plugged in source automatically.

#### **Features**


- Up to three HDMI signal input
- Fast video switch among ports
- Resolution up to 3840\*2160@30Hz
- 36 bit/pixel deep color, data rate up to 10.2 Gbps
- Auto input detect and switch
- Support ARC

## Package Included

- 1 \* 3 ports HDMI Switch
- 1 \* IR Remote Control
- 1 \* IR Receiver Cable
- 1 \* Quick-Start Guide



## **Panel descriptions**




ID	Name	Description
1	IR receiver	Receive IR remote signal
2	DC 5V	DV 5V power supply
3	HDMI input	Connect to HDMI source devices
4	HDMI output	Connect to HDMI display
5	Input selection button	Select input source
6	Input selection status	Indicate current active selected input
		source

2



## **Connection Diagram**



3



# Specification

HSW0301A10	3x1 HDMI Switch with IR			
Technical				
Role of usage	3 ports HDMI Switch			
HDCP compliance	Yes			
Data rate	10.2 Gbps			
Max. Resolution	3840*2160@30Hz			
Audio support	Surround sound(up to 7.1ch) or stereo digital audio			
ESD protection	Human body model - ±8kV (Air-gap discharge)			
Input	3*	HDMI Type A, IR receiver x 1		
Output	1* HDMI Type A			
Mechanical				
Chasing material	Plastics			
Power supply	DC 5V 1A or powered by HDMI			
Operating/Storage temperature	0 to 70 degree/-40 to 85 degree			
Operating Humidity		10 to 90% RH		
Product	Dimension	88(L) x 60 (W) x 19 (H) mm		
	Weight	55g		
Item	Dimension	144(L) x 90 (W) x 48 (H) mm		
	Weight	221g		
Carton	Dimension	490 (L) x 360 (W) x 360 (H) mm		
Carton	Quantity	48pcs		
	Total Weight	11.458kg		

4 www.tesmart.com