

2x1 DP Switch

#PSW0201A1U

DP Switch allows 2 Ultra HD or Full HD DisplayPort sources to be routed to 1 Ultra HD DisplayPort display. The resolution can reach up to 7680x4320@30Hz. Each Ultra HD source can be switched to the display using the front panel push-button.

Features:

with 2 DisplayPort inputs and 1 DisplayPort output

Support resolution up to 7680x4320@30Hz

Support 36 bit color depth


Support Dolby TrueHD, DTS-HD Master Audio, Dolby Digital and AC3 audio transmission

Packing List:

1 * 2x1 Displayport Switch


1 * DC 5V Power adapter

1 * User Manual

Panel Description:

ID	Name	Description
1	Input selection status	The LED will be lit (blue) if the corresponding input source is selected
2	Input selection button	select input port
3	DC 5V	5V power supply
4	DisplayPort output	Connect to DisplayPort display
5	DisplayPort inputs	Connect to DisplayPort souce devices

Connection Diagram



Specification:

PSW0201A1U	2x1 DP Switch 7680x4320@30Hz
Technical	
HDCP compliance	1.2
Data rate	18 Gbps
Max. resolution	7680x4320@30Hz
ESD protection	Human body model - ± 8 KV (Air-gap discharge)
Input	2* DP cable
Output	1* DP cable
Mechanical	
Product dimensions	122(L) x 54 (W) x 24 (H) mm
Item weight	200g
Power supply	DC 5V
Operating/storage temperature	0 to 70 degree/-40 to 85 degree
Operating humidity	10 to 90% RH