

SDI-HDMI Converter

S2H0102A10

SDI to HDMI converter S2H0102A10, converts SD/HD/ SDI signal to HDMI signal, with SDI loop output. Support cascade connection.


Features

- Convert SD/HD/3G-SDI to HDMI
- Support input and output resolutions, 480i/576i, 720P@50/60Hz, 1080i@50/60Hz, 1080P@24/25/30/50/60Hz
- Support cascade with SDI loop output
- Support RG-59 cable transmission distance up to 100 meters


Package Included

- 1 * SDI-HDMI Converter 1080P
- 1 * DC 5V 1A power adapter
- 1 * Quick-Start Guide

Panel Description



Connection diagram



Specification

S2H0102A10	SDI-HDMI Converter
Technical	
Data rate	10.2 Gbps
Resolution	480i/480p/720p/1080i@50/60Hz/1080P@24/25/30/50/60Hz
Audio support	Surround sound(up to 7.1ch) or stereo digital audio
ESD protection	Human body model - ± 8 kV (Air-gap discharge)
Input	1* BNC(SDI)
Output	1* BNC(SDI), 1* HDMI Type A
Mechanical	
Chasing material	Aluminum Alloy
Product Dimensions	93(L) x 68 (W) x 29 (H) mm
Item Weight	300g
Power supply	DC 5V 1A
Operating/Storage temperature	0 to 70 degree/-40 to 85 degree
Operating Humidity	10 to 90% RH